

267 Wayfarer[®] 16 mm

16mm spaghetti entrance matting with backing



Dust Control Matting - Spaghetti Matting 267 Wayfarer® 16 mm

Loose lay CiTi™ mats with pressed bevelled borders on all four sides. Vinyl loops scrape dirt and moisture off shoes and trap it in the mat which prevents dirt from being tracked into the building.

- Spaghetti mats do not absorb water
- Line backed version ensures minimum movement
- Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals

Recommended use

- Indoor/Outdoor
- For loose lay placement indoors or outdoors
- Heavy traffic

Colors:

- Grey

Sizes:

- 120cm x 180cm
- 90cm x 150cm



CRUSH RESISTANCE

RATING DUST CONTROL

B2 Athy Business Campus
Athy
Co. Kildare
R14 PK74
sales@pittman.ie
01 5312777

1310 Solihull Parkway
Birmingham Business Park
Birmingham
B37 7YB
sales@pittman.uk
0121 630 3527

Dust Control Matting - Spaghetti Matting Wayfarer® 16 mm

General

| | |
|-------------------|---|
| Brand | Notrax |
| Category | Spaghetti Matting |
| Product Number | 267 |
| Product Family | Industrial & Commercial Matting |
| Product Group | Dust Control Matting |
| Product Name | Wayfarer® 16 mm |
| Recommended use | For loose lay placement indoors or outdoors |
| Shipping Location | Barendrecht 2992SB, The Netherlands, Chicago, IL 60638, United States |
| Type | Outdoor Loose Lay - Spaghetti |
| Update trigger | 20210310-1301 |
| Usage Intensity | Heavy traffic |

Sustainability

| | |
|----------------|--|
| REACH | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals). |
| Reach US | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals). |
| Rohs US | Rohs compliant (Restriction of Hazardous Substances). |
| Sustainability | Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals |
| Warranty | 1 |

Tests

| | |
|------------------|-------------------|
| Fire rating EU | EN 13501-1 Bfl-S1 |
| Fire rating US | Pass |
| Sanitary Testing | Pass |

Technical Specifications

| | |
|-------------------|--|
| Application | Loose Lay Carpet Mats |
| Backing | Vinyl (DOP free) |
| Edges | Pressed borders on all sides |
| Material Group | PVC |
| Process | Extrusion |
| Yarn Construction | Thick coils with a strand diameter of 1 mm |